

DR. G. B. DUDLEY

THE A.E. LITTLE SHOE

THE NATURAL SHOE

Dressings
free oxygenation
Dakin
Permangan
H₂O₂

Treat by X-ray?

Jour. O.M.A. 10-3-36
Kansas City

Burns. ———
Treatment

1924 - Davidson

treat shock
debridement tissues & skin
remove grease before tannic
acid with benzine or ether
under anesthesia if nec

{ Tannic ac 5%
Ag^{steril} 95% ———

Prepare fresh, as tannic
changes to gallicic

spray on skin $\frac{1}{4}$ h.
Continue until crust
forms 15-18 hrs

sterilize adjacent skin
before tan. ac. & gd

9th, 10th day, crust
starts to curl - trim
edges

Skin graft later 9.3

Tannic Acid low antiseptic
action

Tannic Acid jelly &
Resorcinol. O'Keefe's 255.
in lead tubes does not
oxidize. - tan more slowly
than aq. sol.

new coagulant - not published
4% Sulfoschizylic Ac
in trazeccent's jelly

England reduced death
rate from 35% to 5%

here has not changed.

but carefully treat shock
heat. - salt. & fluids

Intracranial Injuries

use / ether / chloral

paraldehyde

Arnold / morphine.

chloral

Sucre. - best sugar for
intravenous